



POWERHOUSE  
OF  
ENGINEERING

CONTACT US

SF-232, Panorama, R.C.Dutt Road, Vadodara,  
India-390007

+91 265 461 3274

[richfieldindia@richfieldindia.com](mailto:richfieldindia@richfieldindia.com)

[www.richfieldindia.com](http://www.richfieldindia.com)

**HEAT EXCHANGER TUBE PLUGS**

**SPARES  
COMPONENTS  
PARTS**



Richfield Heat Exchanger Tube Plugs seal the ends of leaking tubes, providing the longer use of the heat exchanger. The uniform taper and the smooth surface finish assure positive sealing with minimum installation force.

Heat Exchanger Tube Plugs metal tapered plugs offer low-cost and quick method of sealing leaking tubes. Richfield tapered plugs are manufactured with all available materials of construction and are customizable to meet any customer specifications.

 **Richfield**

**Engineering & Construction**

**DELIVERING ENGINEERING EXCELLENCE**

| Tube Outside Diameter O |      | Tube Wall Gauge | Tube Wall Thickness |           | DIMENSIONS |       |              |       |              |       |
|-------------------------|------|-----------------|---------------------|-----------|------------|-------|--------------|-------|--------------|-------|
|                         |      |                 |                     |           | Length - L |       | Diameter - D |       | Diameter - E |       |
| in                      | mm   |                 | in                  | mm        | in         | mm    | in           | mm    | in           | mm    |
| 1/2                     | 12.7 | 11-14           | 0.832 - 0.120       | 2.1 - 3.0 | 1.55       | 39.40 | 0.28         | 7.10  | 0.37         | 9.30  |
|                         |      | 15-20           | 0.035 - 0.072       | 0.9 - 1.8 | 1.56       | 39.60 | 0.37         | 9.40  | 0.46         | 11.60 |
| 5/8                     | 15.9 | 11-14           | 0.832 - 0.120       | 2.1 - 3.0 | 1.57       | 39.90 | 0.41         | 10.30 | 0.49         | 12.50 |
|                         |      | 15-20           | 0.035 - 0.072       | 0.9 - 1.8 | 1.58       | 40.10 | 0.50         | 12.60 | 0.58         | 14.80 |
| 3/4                     | 19.1 | 11-14           | 0.832 - 0.120       | 2.1 - 3.0 | 1.58       | 40.10 | 0.53         | 13.50 | 0.62         | 15.60 |
|                         |      | 12-17           | 0.058 - 0.109       | 1.5 - 2.8 | 2.09       | 53.10 | 0.55         | 13.90 | 0.66         | 16.80 |
|                         |      | 15-20           | 0.035 - 0.072       | 0.9 - 1.8 | 1.59       | 40.40 | 0.62         | 15.80 | 0.71         | 18.00 |
| 7/8                     | 22.1 | 11-14           | 0.832 - 0.120       | 2.1 - 3.0 | 1.60       | 40.60 | 0.65         | 16.50 | 0.74         | 18.70 |
|                         |      | 15-20           | 0.035 - 0.072       | 0.9 - 1.8 | 1.62       | 41.10 | 0.75         | 18.90 | 0.83         | 21.10 |
| 1                       | 25.4 | 11-14           | 0.832 - 0.120       | 2.1 - 3.0 | 1.62       | 41.10 | 0.78         | 19.80 | 0.87         | 22.00 |
|                         |      | 12-17           | 0.058 - 0.109       | 1.5 - 2.8 | 2.11       | 53.60 | 0.79         | 20.10 | 0.91         | 23.10 |
|                         |      | 15-20           | 0.035 - 0.072       | 0.9 - 1.8 | 1.63       | 41.40 | 0.87         | 22.10 | 0.96         | 24.30 |



Engineering & Construction

CONNECT NOW

+91 265 461 3274

richfieldindia@richfieldindia.com

www.richfieldindia.com